



# Programmable Constant Current LED Drivers

*The Smart Solution for Greater LED Efficiency*



- One programmable driver replaces over 1600 fixed output driver SKUs
- DALI and 0-10V models, dims to 1% of programmed current
- Output current programmable in 1mA increments
- Enables integration of more efficient modules in existing luminaire designs
- Power to driver not required during programming
- One touch programming for high volume usage

*The WorkHorse LED family of programmable drivers brings the renowned flexibility and reliability of Fulham's WorkHorse fluorescent ballasts to the LED market. Programmable attributes include output current, dimming curve (for step dimming and dim-to-off), and lowest dimming percentage, allowing the driver to match the output of existing fixtures or serve as a flexible platform for new luminaire designs. Fulham's intuitive SmartSet programming platform enables powerful programming capabilities via handheld controller or PC software.*

### Programmable Drivers: DALI Dimming Models

Watts	Output Current (mA)	Output Voltage (VDC)	Model Number	Input Voltage (50/60Hz) (VAC)	Dimensions (LxWxH)	Case Type
40	250 - 1050	10 - 57	<b>T1A1UNV105P-40E</b>	120 - 277	10.83" x 1.22" x .98"	Linear w/ End Terminals
60	250 - 1050	10 - 57	<b>T1A1UNV105P-60E</b>	120 - 277	9.33" x 1.6" x 1.18"	Linear w/ End Terminals
60	250 - 1050	10 - 57	<b>T1A1UNV105P-60F</b>	120 - 277	5" x 3" x 1.22"	Compact w/ End and Back Terminals
60	250 - 1050	10 - 57	<b>T1A1UNV105P-60G</b>	120 - 277	5" x 3" x 1.22"	Compact w/ End and Back Terminals, Back Studs

### Programmable Drivers: 0-10V Dimming Models

Watts	Output Current (mA)	Output Voltage (VDC)	Model Number	Input Voltage (50/60Hz) (VAC)	Dimensions (LxWxH)	Case Type
40	250 - 1050	10 - 57	<b>T1M1UNV105P-40E</b>	120 - 277	10.83" x 1.22" x .98"	Linear w/ End Terminals
60	250 - 1050	10 - 57	<b>T1M1UNV105P-60E</b>	120 - 277	9.33" x 1.6" x 1.18"	Linear w/ End Terminals
60	250 - 1050	10 - 57	<b>T1M1UNV105P-60F</b>	120 - 277	5" x 3" x 1.22"	Compact w/ End and Back Terminals
60	250 - 1050	10 - 57	<b>T1M1UNV105P-60G</b>	120 - 277	5" x 3" x 1.22"	Compact w/ End and Back Terminals, Back Studs

### Also available: WorkHorse LED Extreme

IP65 models for outdoor and high power applications. Visit [www.fulham.com](http://www.fulham.com) to learn more.

## The Power of Programmability

*Fulham's innovative SmartSet programming platform gives the user the power to create the right driver for almost any situation.*

Programming is simple, using either the handheld TPSB-100 SmartSet controller or feature-rich SmartSet PC Software. The driver does not need to be powered during programming, and an auto-program feature allows quick, one-touch programming of multiple units with confirmation. The same programmer can be used with all WorkHorse LED drivers, with new features constantly being added.



TPSB-100  
SmartSet Controller



SmartSet  
Software

For an overview of basic programming features, visit  
[www.fulham.com/smartsetprogramming](http://www.fulham.com/smartsetprogramming)

To see Fulham's SmartSet Auto-Programming feature in action, visit  
[www.fulham.com/smartsetauto](http://www.fulham.com/smartsetauto)

For a demonstration of dimming curve programming, visit  
[www.fulham.com/smartsetdimmingcurve](http://www.fulham.com/smartsetdimmingcurve)

**FULHAM** [www.fulham.com](http://www.fulham.com)

North America • China • Europe • India • Latin America • Middle East

12705 S. Van Ness Avenue, Hawthorne, CA 90250 • Tel: +1 (323) 599-5000 • Fax: +1 (323) 754-9060 • [order@fulham.com](mailto:order@fulham.com)

All trademarks are the property of their respective owners | ©Fulham Co. Inc., 2017 | P/N: FLYER-WH-LED | REV: NOV17